

# INCANT - Cohort of Adolescents Treated for Cannabis Abuse and Addiction

Responsable(s) :Falissard Bruno, INSERM U669  
Phan Olivier, INSERM U669  
Jouanne Celine

Date de modification : 01/12/2019 | Version : 1 | ID : 4363

## Général

### Identification

Nom détaillé	Cohort of Adolescents Treated for Cannabis Abuse and Addiction
Sigle ou acronyme	INCANT

### Thématiques générales

Domaine médical	Pediatrics Psychology and psychiatry
Pathologie, précisions	Addictions
Déterminants de santé	Addictions Social and psychosocial factors
Mots-clés	protocol, family therapy, cannabis, treatment, abuse, adolescent, assessment

### Responsable(s) scientifique(s)

Nom du responsable	Falissard
Prénom	Bruno
Adresse	Inserm U669 Maison de Solenn 97 boulevard du Port Royal 75679 Paris Cedex
Téléphone	+33 (0)1 58 41 58 50
Email	falissard_b@wanadoo.fr
Laboratoire	INSERM U669
Organisme	National Institute of Health and Medical Research
Nom du responsable	Phan
Prénom	Olivier

Adresse	Inserm U669 Maison de Solenn 97 boulevard du Port Royal 75679 Paris Cedex
Téléphone	+33 (0)1 53 82 81 70
Email	olivier.phan@imm.fr
Laboratoire	INSERM U669
Organisme	National Institute of Health and Medical Research

Nom du responsable	Jouanne
Prénom	Celine
Email	jouanne.celine@neuf.fr
Organisme	Tolbiac Emergency Resource Centre

## Collaborations

## Financements

Financements	Public
Précisions	Interministerial Mission to Combat Drugs and Drug Addiction (MILDT)

## Gouvernance de la base de données

Organisation(s) responsable(s) ou promoteur	INSERM - National Institute of Health and Medical Research
Statut de l'organisation	Secteur Public

Organisation(s) responsable(s) ou promoteur	Mission Interministérielle de Lutte contre les Drogues et les Toxicomanies (MILDT)
Statut de l'organisation	Secteur Public

## Contact(s) supplémentaire(s)

## Caractéristiques

## Type de base de données

Type de base de données	Study databases
Base de données issues d'enquêtes, précisions	Cohort study

Origine du recrutement des participants	A selection of health institutions and services
Le recrutement dans la base de données s'effectue dans le cadre d'une étude interventionnelle	Yes
Précisions	Performed at group level (clusters)
Informations complémentaires concernant la constitution de l'échantillon	All patients between 13 and 18 years old requesting a ?cannabis consultation? are seen by the research psychologist. After checking the inclusion criteria, the psychologist proposes the study to the patient and his/her family. If required, they may be given time to think about it and give their answer during a second consultation with the research psychologist. After reading the information sheet and signing their consent, the family is included in the randomised study and assigned to one of three therapies. The randomisation procedure is required by the European protocol.. The Urn Randomisation procedure is used (Stout 1994; Project Match). This is carried out by the research psychologist.
<b>Objectif de la base de données</b>	
Objectif principal	To assess the interest in a specific therapy; Multidimensional Family Therapy (MDFT) is given to adolescents who are misusing or addicted to cannabis. To develop a therapeutic method in the European context, especially in France, that is effective in the field of adolescent addiction; to develop psychotherapy evaluation methods.
Critères d'inclusion	Presenting with a diagnosis for cannabis abuse and addiction and to having at least one parent (or legal guardian) agreeing to participate in the treatment and study. It should be noted that the misuse of psychoactive substances, behavioural and/or psychiatric disorders often associated with cannabis do not constitute grounds for exclusion.
<b>Type de population</b>	
Age	Adolescence (13 to 18 years)
Population concernée	Sick population
Sexe	Male Woman

Champ géographique	International
Détail du champ géographique	Europe: France; Netherlands; Germany; Switzerland; Belgium. Adolescents and their parents in France were recruited from two specialised psychoactive substance addiction centres that offer consultations for young drug users according to the MILDT protocol: Tolbiac Emergency Resource Centre, part of the Institute Mutual Montsouris (Paris, thirteenth municipal district), and the Specialised Drug Addiction Treatment Centre (CSST) and Drug Addiction Support Centre (CEDAT) in Mantes-la-Jolie that are managed by the Mignot Hospital in Versailles.

## Collecte

### Dates

Année du premier recueil 10/2006

Année du dernier recueil 12/2009

### Taille de la base de données

Taille de la base de données (en nombre d'individus) < 500 individuals

Détail du nombre d'individus 150

### Données

Activité de la base Data collection completed

Type de données recueillies  
Clinical data  
Declarative data  
Paraclinical data

Données cliniques, précisions Medical registration

Données déclaratives, précisions Paper self-questionnaire

Détail des données déclaratives recueillies Sociodemographic data; adolescent history; family composition; drug use; family history of psychiatric illness; legal record; treatment path; problems at school and relationship with peers.

Données paracliniques, précisions Intake interview is available separately for adolescents and parents. This heteroquestionnaire, which takes about twenty minutes, allows the collection of sociodemographic data as well as information on adolescent history; family

composition; drug use; family history of psychiatric illness; legal record; treatment path; problems at school and relationship with peers. There is a specific version for adolescents and one for parents. Additional form: demographic characteristics; age; nationality; family status; number of children (parents); details on work and education; current occupation; medical information; personal medical history; compilation of drug therapies. Personal Experience Inventory (PEI): The PEI is a self-administered questionnaire that assesses the severity drug use and related issues. Youth Self Report (YSR): abbreviated self-administered questionnaire that allows the adolescent to focus on behavioural and possible psychological disorders. The Child Behavioral Checklist (CBCL) is the parent version of the YSR. Adolescent Depression Rating Scale (ADRS): evaluates the presence and severity of depression in adolescents aged between 13 and 20 years old. Timeline Follow-Back method: TLFB is a structured interview that measures the progression of drug use in young people over time. ADI-Light: Adolescent Diagnostic Interview-Light is a structured interview that evaluates adolescent substance usage based on DSM-IV-TR criteria.

Existence d'une bibliothèque Yes

Contenu de la bibliothèque Fluids (saliva, urine, amniotic fluid, ?)

Détail des éléments conservés Urine: semi-quantitative analysis of cannabis in the urine is also carried out at baseline and at six and twelve months.

Paramètres de santé étudiés Health event/morbidity

## Modalités

Mode de recueil des données Self-administered questionnaire (Intake Interview, PEI, YSR, CBCL, ADRS) and medical interview (Timeline Follow-Back method, ADI-Light).

Suivi des participants Yes

Détail du suivi Weekly consultation. Initial assessment at 6 and 12 months.

Appariement avec des sources administratives No

## Valorisation et accès

## Valorisation et accès

Lien vers le document

<http://www.mdft.org/mdft/media/files/Jouanne-et-al-%28comparaison-de-l-efficacite-de-la-MultiDimensional-Family-Therapy-%28MDFT%29-versus-la-Treatment-as-usual-Explicite.pdf>

## Accès

Charte d'accès aux données  
(convention de mise à  
disposition, format de données  
et délais de mise à disposition)

Contact the scientist in charge.

Accès aux données agrégées

Access on specific project only

Accès aux données individuelles

Access on specific project only