INTERMEDE - Cross-Sectional Survey on Patient-Physician Interaction and Social Health Inequalities

Head :Lang Thierry, Unité Inserm 558, Faculté de Médecine de Toulouse

Last update : 10/01/2017 | Version : 2 | ID : 8264

General	
Identification	
Detailed name	Cross-Sectional Survey on Patient-Physician Interaction and Social Health Inequalities
Sign or acronym	INTERMEDE
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	Accord CNIL
General Aspects	
Medical area	Disability/handicap Psychology and psychiatry
Health determinants	Social and psychosocial factors
Keywords	Physician-patient relationship, social health inequalities, health care sought, treatment.
Scientific investigator(s) (Contact)	
Name of the director	Lang
Surname	Thierry
Address	37 Allées J Guesde, 31073 Toulouse Cedex
Phone	+33 (0)5 61 14 59 35
Email	thierry.lang@univ-tlse3.fr
Unit	Unité Inserm 558, Faculté de Médecine de Toulouse
Organization	INSERM
Collaborations	
Funding	

CHU Toulouse, Assurance MaladieGovernance of the databaseSponsor(s) or organisation(s)INSERMOrganisation statusPublicSponsor(s) or organisation(s)Université Paul SabatierSponsor(s) or organisation(s)PublicOrganisation statusPublicAdditional contactImmediateMain featuresStudy databasesType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryNoDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitment general practices. Recruitment of the SMFG. A call for applications was sent to mem of the SMFG. A call for applications was sent to mem of the SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a volutary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interacting in care sought by patients, differenciating and the target of physicians per site.Main objectiveTo clarify elements of physician-patient interacting in care sought by patients, differenciation and senting health Consultation observation and sen		
CHU Toulouse, Assurance MaladieGovernance of the databaseSponsor(s) or organisation(s) responsibleINSERMOrganisation statusPublicSponsor(s) or organisation(s) responsibleUniversité Paul SabatierOrganisation statusPublicAdditional contactInsertie Paul SabatierMain featuresInsertie Paul SabatierType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitment or practitions was sent to mem of the SMFG. A call for applications was sent to mem of the SMFG. A call for applications was sent to mem of the SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interace that may explain, beyond social differences in health Consultation observation and semi- the atmay utimately contribute to differences in health Consultation observation and semi-	Funding status	Public
Sponsor(s) or organisation(s)INSERMOrganisation statusPublicSponsor(s) or organisation(s) responsibleUniversité Paul SabatierOrganisation statusPublicOrganisation statusPublicAdditional contactImage: Contact Contact Contact Contact Contact Contact Control studiesType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryNoDatabase recruitment is carried study control studies (except control studies)NoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitment of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment is any utimately contribute to differences in that may utimately contribute to differences in care sought by patients, differentiated treatment is care sought by patients, differentiated treatment is care sought by patients, differentiated treatment is care sought by patients, differences in care sought by patients, differences in that may explain, beyond social differences in that may explain by social on ad semi-interact that may explain by social on ad semi-interact in that may utimately contribute to differences in that may utimately	Details	Institut de Recherche en Santé Publique (IReSP), CHU Toulouse, Assurance Maladie
responsiblePublicOrganisation statusPublicSponsor(s) or organisation(s) responsibleUniversité Paul Sabatier PublicOrganisation statusPublicAdditional contactFublicMain featuresType of databaseType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried 	Governance of the database	
Sponsor(s) or organisation(s) responsibleUniversité Paul SabatierOrganisation statusPublicAdditional contactPublicMain featuresType of databaseType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitment general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatme that may explain, beyond social differences in care sought by patients, differentiated treatme that may utimately contribute to differences in care sought by patients, differentiated treatme that may explain, beyond social differences in care sought by patients, differentiated treatme that may utimately contribute to differences in health Consultation observation and semi-	-	INSERM
responsible Organisation status Public Additional contact Main features Type of database Type of database Study databases (details) Not-repeated cross-sectional studies (except control studies) Database recruitment is carried out by an intermediary A population file Out by an intermediary No Study and the section of general practices. Recruitment section and study	Organisation status	Public
Additional contactMain featuresType of databaseType of databaseStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen general practicioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may utimately contribute to differences in health Consultation observation and semi-		Université Paul Sabatier
Main featuresType of databaseType of databaseStudy databases (details)Study databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryDatabase recruitment is carried out as part of an interventional studyAdditional information regarding sample selection.Patabase objectiveDatabase objectiveMain objectiveMain objectiveTo clarify elements of physician-patient interact that may utimately contribute to differences in health Consultation observation and semi-	Organisation status	Public
Type of databaseStudy databasesType of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may utimately contribute to differences in health Consultation observation and semi-	Additional contact	
Type of databaseStudy databasesStudy databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatmen that may ultimately contribute to differences in health Consultation observation and semi-	Main features	
Study databases (details)Not-repeated cross-sectional studies (except control studies)Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may ultimately contribute to differences in health Consultation observation and semi-	Type of database	
Database recruitment is carried out by an intermediaryA population fileDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may ultimately contribute to differences in health Consultation observation and semi-	Type of database	Study databases
out by an intermediaryDatabase recruitment is carried out as part of an interventional studyNoAdditional information regarding sample selection.The sample of patients was established in the waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may ultimately contribute to differences in health Consultation observation and semi-	Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
out as part of an interventional studyThe sample of patients was established in the waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site.Database objectiveTo clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatmen that may ultimately contribute to differences in health Consultation observation and semi-		A population file
 sample selection. waiting room of general practices. Recruitmen general practitioners was done in partnership SMFG. A call for applications was sent to mem of the SMFG network. Participating physicians included on a voluntary basis with a target of physicians per site. Database objective Main objective To clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may ultimately contribute to differences ir health Consultation observation and semi- 	out as part of an interventional	No
Main objective To clarify elements of physician-patient interact that may explain, beyond social differences in care sought by patients, differentiated treatment that may ultimately contribute to differences in health Consultation observation and semi-		waiting room of general practices. Recruitment of general practitioners was done in partnership with SMFG. A call for applications was sent to members of the SMFG network. Participating physicians were included on a voluntary basis with a target of 10
that may explain, beyond social differences in care sought by patients, differentiated treatme that may ultimately contribute to differences ir health Consultation observation and semi-	Database objective	
	Main objective	To clarify elements of physician-patient interaction that may explain, beyond social differences in health care sought by patients, differentiated treatment that may ultimately contribute to differences in health Consultation observation and semi- structured post-consultation interviews with patients and doctors independently Mirrored-

	questionnaires where patients and physicians answered the same questions post-consultation.
Inclusion criteria	Patient inclusion: - at least 18 years old - not attending a general practitioner for emergency purposes - who are not attending their first consultation - not pregnant or have given birth within the last six months - who have signed the informed consent agreement
Population type	
Age	Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)
Population covered	Sick population
Gender	Male Woman
Geography area	National
Detail of the geography area	Ile de France, Midi Pyrénées and Pays de la Loire
Data collection	
Dates	
	09/2006
Dates Date of first collection (YYYY or	09/2006 10/2007
Dates Date of first collection (YYYY or MM/YYYY) Date of last collection (YYYY or	
Dates Date of first collection (YYYY or MM/YYYY) Date of last collection (YYYY or MM/YYYY)	
DatesDate of first collection (YYYY or MM/YYYY)Date of last collection (YYYY or MM/YYYY)Size of the databaseSize of the database (number of	10/2007
DatesDate of first collection (YYYY or MM/YYYY)Date of last collection (YYYY or MM/YYYY)Size of the databaseSize of the database (number of individuals)Details of the number of	10/2007 [500-1000[individuals phase I:11 médecins généralistes/MP, 249 patients
DatesDate of first collection (YYYY or MM/YYYY)Date of last collection (YYYY or MM/YYYY)Size of the databaseSize of the database (number of individuals)Details of the number of individuals	10/2007 [500-1000[individuals phase I:11 médecins généralistes/MP, 249 patients
DatesDate of first collection (YYYY or MM/YYYY)Date of last collection (YYYY or MM/YYYY)Size of the databaseSize of the database (number of individuals)Details of the number of individualsData	10/2007 [500-1000[individuals phase I:11 médecins généralistes/MP, 249 patients phase II:27 médecins généralistes/MP, 585 patients

Presence of a biobank	No
Health parameters studied	Health care consumption and services Quality of life/health perception
Care consumption (detail)	Medical/paramedical consultation
Procedures	
Participant monitoring	No
Links to administrative sources	No
Promotion and access	
Promotion	
Link to the document	http://www.biomedcentral.com/1472-6963/9/66
Link to the document	http://www.sciencedirect.com/science/article/pii/S07 38399112004600
Link to the document	http://tinyurl.com/PUBMED-INTERMEDE
Link to the document Link to the document	http://tinyurl.com/PUBMED-INTERMEDE
Link to the document	
Link to the document Access Terms of data access (charter for data provision, format of	http://tinyurl.com/HAL-INTERMEDE