

DECLIC - Description of the profile of hypertensive patients treated with calcium channel blockers

Head :Millet véronique, Pfizer

Last update : 01/01/2018 | Version : 1 | ID : 104

General	
Identification	
Detailed name	Description of the profile of hypertensive patients treated with calcium channel blockers
Sign or acronym	DECLIC
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	CNIL N°9070044
General Aspects	
Medical area	Cardiology General practice
Others (details)	high blood pressure
Keywords	hypertensive patient, calcium channel blockers
Scientific investigator(s) (Contact)	
Name of the director	Millet
Surname	véronique
Address	23-25 avenue du Dr Lannelongue, 75668 paris cedex 14
Phone	+33 (0)1 58 07 34 12
Email	véronique.millet@pfizer.com
Unit	Pfizer
Collaborations	
Funding	
Funding status	Private

Details	Pfizer
Governance of the database	
Sponsor(s) or organisation(s) responsible	Pfizer
Organisation status	Private
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A selection of health care professionals
Database recruitment is made on the basis of:	Medication(s) taken
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Recruitment through participating doctors
Database objective	
Main objective	<p>Describe the profile and the care for hypertensive patients treated with calcium channel blockers and their distribution according to the level of the cardio-vascular risk as defined by HAS (French National Authority for Health) 2005.</p> <ul style="list-style-type: none"> - Describe the distribution of the risk factors according to sub-groups of age. - Describe the profile of hypertensive patients on calcium channel blockers according to blood pressure control. - Describe the therapeutic strategy when the high blood pressure is not controlled.
Inclusion criteria	<p>Patient over the age of 18 years.</p> <ul style="list-style-type: none"> - Patient seen through routine liberal medical practice, regardless of the reason for consultation. - Hypertensive patient whether or not balanced,

treated with calcium channel blockers in monotherapy or in association.
- Patient informed of the objectives of the survey.

Population type	
Age	Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)
Population covered	Sick population
Gender	Male Woman
Geography area	National
Detail of the geography area	Metropolitan France
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	2007
Date of last collection (YYYY or MM/YYYY)	2008
Size of the database	
Size of the database (number of individuals)	[1000-10 000[individuals
Details of the number of individuals	2767
Data	
Database activity	Data collection completed
Type of data collected	Clinical data Declarative data
Clinical data (detail)	Direct physical measures Medical registration
Declarative data (detail)	Face to face interview
Presence of a biobank	No

Health parameters studied	Health care consumption and services
Care consumption (detail)	Medical/paramedical consultation Medicines consumption
Procedures	
Data collection method	Paper CRF
Participant monitoring	No
Links to administrative sources	No
Promotion and access	
Promotion	
Access	
Terms of data access (charter for data provision, format of data, availability delay)	methods for accessing the database are currently being defined
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only