

# - Cancer of The Oesophagus Associated with Tobacco Type, Alcohol use and Specific diet

Head :Launoy Guy, Cancers et populations

Last update : 09/05/2017 | Version : 1 | ID : 5889

## General

### Identification

Detailed name Cancer of The Oesophagus Associated with Tobacco Type, Alcohol use and Specific diet

CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation Accord CNIL

### General Aspects

Medical area Cancer research  
Otolaryngology or ENT

Health determinants Addictions  
Nutrition

Others (details) Cancer of the oesophagus

Keywords Tobacco, squamous cell, alcohol, nicotine, consumption, diet

### Scientific investigator(s) (Contact)

Name of the director Launoy

Surname Guy

Address Avenue Côte de Nacre 14032 Caen Cedex

Phone +33 (0)2 31 06 51 20

Email guy.launoy@unicaen.fr

Unit Cancers et populations

Organization Institut National de Santé et Recherche Médicale,  
CHU

### Collaborations

## Funding

Funding status Public

Details Inserm

## Governance of the database

Sponsor(s) or organisation(s) responsible Institut National de Santé et Recherche Médicale

Organisation status Public

Sponsor(s) or organisation(s) responsible CHU Caen

Organisation status Public

## Additional contact

## Main features

## Type of database

Type of database Study databases

Study databases (details) Case control study

Database recruitment is carried out by an intermediary A selection of health institutions and services  
A population file

Database recruitment is carried out as part of an interventional study No

Additional information regarding sample selection. Classification in accordance with department where hospital treatment was carried out: -rheumatology or orthopaedic departments for osteoarthritis (229) - rheumatology or orthopaedic departments for lumbago or sciatica (127), eye department (43)

## Database objective

Main objective To demonstrate that the risk of cancer of the oesophagus increases according to types of tobacco and alcohol use. To classify different types of tobacco and alcohol in accordance to risk of cancer of the oesophagus. To demonstrate certain dietary habits that increase the risk of cancer of the oesophagus.

Inclusion criteria - Men - adult - under 85 years old - already

presenting squamous carcinoma of the oesophagus

## Population type

Age  
Adulthood (19 to 24 years)  
Adulthood (25 to 44 years)  
Adulthood (45 to 64 years)  
Elderly (65 to 79 years)  
Great age (80 years and more)

Population covered Sick population

Gender Male

Geography area National

Detail of the geography area University hospitals in France (Caen, Dijon, and Toulouse)

## Data collection

### Dates

Date of first collection (YYYY or MM/YYYY) 1991

Date of last collection (YYYY or MM/YYYY) 1994

### Size of the database

Size of the database (number of individuals) < 500 individuals

Details of the number of individuals - 208 cas/cases - 399 témoins/controls

### Data

Database activity Data collection completed

Type of data collected  
Clinical data  
Declarative data

Clinical data (detail) Medical registration

Declarative data (detail) Face to face interview

Presence of a biobank No

Health parameters studied Health event/morbidity

Health event/mortality  
Health care consumption and services

Care consumption (detail)      Hospitalization

## Procedures

Participant monitoring      No

Links to administrative sources      No

## Promotion and access

### Promotion

Link to the document      <http://ije.oxfordjournals.org/content/29/1/36.long>

### Access

Terms of data access (charter for data provision, format of data, availability delay)      To be defined

Access to aggregated data      Access on specific project only

Access to individual data      Access on specific project only