## - Cancer of The Oesophagus Associated with Tobacco Type, Alcohol use and Specific diet

Head :Launoy Guy, Cancers et populations

Last update : 09/05/2017   Version : 1   ID : 5889				
General				
Identification				
Detailed name		Cancer of The Oesophagus Associated with Tobacco Type, Alcohol use and Specific diet		
CNIL registration nun number and date of ( agreement, AFSSAPS Health Products Safe authorisation	CPP (French	Accord CNIL		
General Aspects				
Medical area		Cancer research Otolaryngology or ENT		
Health determinants		Addictions Nutrition		
Others (details)		Cancer of the oesophagus		
Keywords		Tobacco, squamous cell, alcohol, nicotine, consumption, diet		
Scientific investigator (Contact)	(s)			
Name of the director		Launoy		
Surname		Guy		
Address		Avenue Côte de Nacre 14032 Caen Cedex		
Phone		+33 (0)2 31 06 51 20		
Email		guy.launoy@unicaen.fr		
Unit		Cancers et populations		

CHU

Institut National de Santé et Recherche Médicale,

## Collaborations

Organization

Funding	
Funding status	Public
Details	Inserm
Governance of the database	
Sponsor(s) or organisation(s) responsible	Institut National de Santé et Recherche Médicale
Organisation status	Public
Sponsor(s) or organisation(s) responsible	CHU Caen
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Case control study
Database recruitment is carried out by an intermediary	A selection of health institutions and services A population file
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Classification in accordance with department where hospital treatment was carried out: -rheumatology or orthopaedic departments for osteoarthritis (229) - rheumatology or orthopaedic departments for lumbago or sciatica (127), eye department (43)
Database objective	
Main objective	To demonstrate that the risk of cancer of the oesophagus increases according to types of tobacco and alcohol use. To classify different types of tobacco and alcohol in accordance to risk of cancer of the oesophagus. To demonstrate certain dietary habits that increase the risk of cancer of the oesophagus.
Inclusion criteria	- Men - adult - under 85 years old - already

	presenting squamous carcinoma of the oesophagus
Population type	
Age	Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)
Population covered	Sick population
Gender	Male
Geography area	National
Detail of the geography area	University hospitals in France (Caen, Dijon, and Toulouse)
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	1991
Date of last collection (YYYY or MM/YYYY)	1994
Size of the database	
Size of the database (number of individuals)	< 500 individuals
Details of the number of individuals	- 208 cas/cases - 399 témoins/controls
Data	
Database activity	Data collection completed
Type of data collected	Clinical data Declarative data
Clinical data (detail)	Medical registration
Declarative data (detail)	Face to face interview
Presence of a biobank	No
Health parameters studied	Health event/morbidity

	Health event/mortality Health care consumption and services		
Care consumption (detail)	Hospitalization		
Procedures			
Participant monitoring	No		
Links to administrative sources	No		
Promotion and access			
Promotion			
Link to the document	http://ije.oxfordjournals.org/content/29/1/36.long		
Access			
Terms of data access (charter for data provision, format of data, availability delay)	To be defined		
Access to aggregated data	Access on specific project only		
Access to individual data	Access on specific project only		