

FAST - French Prospective Anterior Cruciate Ligament Reconstruction Cohort Study

Head : Klouche Shahnaz, Chirurgie orthopédique
Lefevre Nicolas, Chirurgie orthopédique

Last update : 10/17/2016 | Version : 1 | ID : 73368

General

Identification

Detailed name French Prospective Anterior Cruciate Ligament Reconstruction Cohort Study

Sign or acronym FAST

CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation CPP IDFVI - CNIL N°1556375 - NCT02511158

General Aspects

Medical area Physical medicine and rehabilitation
Radiology and medical imaging
Traumatology

Pathology (details) Rupture of Anterior Cruciate Ligament of the Knee

Keywords Anterior Cruciate Ligament; ACL Reconstruction;
Sport injuries

Scientific investigator(s) (Contact)

Name of the director Klouche

Surname Shahnaz

Address 23 rue Brochant
75017 PARIS

Phone +33628350478

Email klouche_shahnaz@yahoo.fr

Unit Chirurgie orthopédique

Organization Fonds Dotation pour la Recherche Clinique en orthopédie et pathologie du sport

Name of the director	Lefevre
Surname	Nicolas
Address	23 rue Brochant 75017 PARIS
Phone	+ 33 (1) 40 79 40 36
Email	docteurlefevre@sfr.fr
Unit	Chirurgie orthopédique
Organization	Fonds Dotation pour la Recherche Clinique en orthopédie et pathologie du sport

Collaborations

Participation in projects, networks and consortia No

Funding

Funding status Private

Details Fond de Dotation pour la Recherche Clinique en orthopédie et pathologie du sport

Governance of the database

Sponsor(s) or organisation(s) responsible Fond de Dotation pour la Recherche Clinique en orthopédie et pathologie du sport

Organisation status Private

Presence of scientific or steering committees No

Additional contact

Main features

Type of database

Type of database Study databases

Study databases (details) Cohort study

Database recruitment is carried out by an intermediary A selection of health care professionals

Database recruitment is made Another treatment or procedure

on the basis of:

Database recruitment is carried out as part of an interventional study

No

Additional information regarding sample selection.

Participants enrolled in the FAST cohort by one of four surgeons and meeting eligibility criteria

Database objective

Main objective

In this study we will examine patients who have undergone anterior cruciate and/or posterior cruciate ligament and/or multi ligaments reconstruction to determine the rate of re-injury, contralateral tear and functional outcomes at least two years after surgery.

Inclusion criteria

Participants enrolled in the FAST cohort by one of four surgeons and meeting eligibility criteria:
? One ligament or multi-ligaments tear of the knee
? Surgery reconstruction with any technique

Population type

Age

Adolescence (13 to 18 years)
Adulthood (19 to 24 years)
Adulthood (25 to 44 years)
Adulthood (45 to 64 years)
Elderly (65 to 79 years)

Population covered

Sick population

Gender

Male
Woman

Geography area

National

Detail of the geography area

France

Data collection

Dates

Date of first collection (YYYY or MM/YYYY)

2012

Date of last collection (YYYY or MM/YYYY)

2032

Size of the database

Size of the database (number of [10 000-20 000] individuals

individuals)

Details of the number of individuals 500 persons per year

Data

Database activity Current data collection

Type of data collected
Clinical data
Declarative data
Paraclinical data
Biological data
Administrative data

Clinical data (detail) Direct physical measures

Details of collected clinical data Peroperative data , objective scores of the knee (IKDC, range of motion)

Declarative data (detail) Internet self-questionnaire

Details of collected declarative data Level

Paraclinical data (detail) GNRB, MRI

Biological data (detail) None

Presence of a biobank No

Health parameters studied
Health event/morbidity
Quality of life/health perception

Quality of life/perceived health (detail) Psychological factors involved in the ability to return to sport (ACL-RSI scale)

Procedures

Data collection method Internet (e-CRF and self-questionnaires) on websurvey software

Quality procedure(s) used Automatic and scheduled checking (monthly)

Participant monitoring Yes

Monitoring procedures
Monitoring by contact with the participant (mail, e-mail, telephone etc.)
Monitoring by contact with the referring doctor

Links to administrative sources No

Promotion

Link to the document [doi: 10.1007/s00167-013-2384-4](https://doi.org/10.1007/s00167-013-2384-4)

Description Lefevre N, Bohu Y, Naouri JF, Klouche S, Herman S. Validity of GNRB® arthrometer compared to Telos? in the assessment of partial anterior cruciate ligament tears. *Knee Surg Sports Traumatol Arthrosc.* 2014 Feb;22(2):285-90.

Link to the document [doi: 10.1007/s00167-013-2511-2](https://doi.org/10.1007/s00167-013-2511-2)

Description Lefevre N, Naouri JF, Bohu Y, Klouche S, Herman S. Sensitivity and specificity of bell-hammer tear as an indirect sign of partial anterior cruciate ligament rupture on magnetic resonance imaging. *Knee Surg Sports Traumatol Arthrosc.* 2014 May;22(5):1112-8.

Link to the document [doi: 10.1007/s00167-014-2942-4](https://doi.org/10.1007/s00167-014-2942-4)

Description Bohu Y, Klouche S, Lefevre N, Webster K, Herman S. Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. *Knee Surg Sports Traumatol Arthrosc.* 2015 Apr;23(4):1192-6

Link to the document [doi: 10.1016/j.otsr.2014.03.024](https://doi.org/10.1016/j.otsr.2014.03.024)

Description Lefevre N, Bohu Y, de Pamphilis O, Klouche S, Devaux C, Herman S. Outpatient surgery feasibility in anterior cruciate ligament reconstruction: a prospective comparative assessment. *Orthop Traumatol Surg Res.* 2014 Sep;100(5):521-6

Link to the document [doi: 10.1016/j.otsr.2014.07.036](https://doi.org/10.1016/j.otsr.2014.07.036)

Description Lefevre N, Klouche S, de Pamphilis O, Devaux C, Herman S, Bohu Y. Postoperative discomfort after outpatient anterior cruciate ligament reconstruction: a prospective comparative study. *Orthop Traumatol Surg Res.* 2015 Apr;101(2):163-6

Link to the document [doi: 10.1177/0363546516660075](https://doi.org/10.1177/0363546516660075)

Description Return to Sport After Primary and Revision Anterior Cruciate Ligament Reconstruction: A Prospective Comparative Study of 552 Patients From the FAST Cohort. *Am J Sports Med.* 2016 Aug 16

Link to the document [Doi : 10.1016/j.otsr.2016.07.011](https://doi.org/10.1016/j.otsr.2016.07.011)

Description

1. Lefevre N, Klouche S, de Pamphilis O, Herman S, Gerometta A, Bohu Y. Peri-articular local infiltration analgesia versus femoral nerve block for postoperative pain control following anterior cruciate ligament reconstruction: Prospective, comparative, non-inferiority study. *Orthop Traumatol Surg Res.* 2016 Oct 3

Access

Presence of document that lists variables and coding procedures Yes

Terms of data access (charter for data provision, format of data, availability delay) Access to data is restricted to medical director of clinical research program, surgeons and clinical research assistants of the "Fond de Dotation pour la Recherche Clinique en orthopédie et pathologie du sport"

Access to aggregated data Access not yet planned

Access to individual data No access