

# SISCOVID - Observational, prospective, multicentre cohort of patients followed up after hospitalisation to evaluate respiratory sequelae subsequent to SARS-CoV-2 (COVID-19) infection

Head :CALCAIANU George

Last update : 05/03/2021 | Version : 1 | ID : 73765

## General

### Identification

Detailed name	Observational, prospective, multicentre cohort of patients followed up after hospitalisation to evaluate respiratory sequelae subsequent to SARS-CoV-2 (COVID-19) infection
Sign or acronym	SISCOVID

### General Aspects

Medical area Pneumology

Study in connection with Covid-19 Yes

### Scientific investigator(s) (Contact)

Name of the director CALCAIANU

Surname George

Address Groupement Hospitalier de la Région de Mulhouse et Sud-Alsace / GHRMSA

Email george-daniel.calcaianu@ghrmsa.fr

### Collaborations

Details 13 associated centers (CHR Orléans, CH Colmar, CHD La Roche Sur Yon, CH de la Côte Basque, CH Le Raincy Montfermeil, CH Douai, CHR Metz-Thionville, CH du Mans, CH Dunkerque, CH Soissons, CH Libourne, CH Annecy, CH Chambéry)

### Funding

#### Governance of the database

Sponsor(s) or organisation(s) GHRMSA health institution

responsible

Organisation status

Public

### Additional contact

Email

marie.diesel@ghrmsa.fr

### Main features

#### Type of database

Type of database

Others

Specify

eCRF

Database recruitment is carried out as part of an interventional study

No

### Database objective

Main objective

Evaluate the respiratory sequelae after SARS-CoV-2 infection in patients hospitalised for severe COVID-19 pneumonia requiring O<sub>2</sub>, with subsequent outpatient follow-up (6 months) by:

- Low-dose chest CT scan (LD-chest CT),
- Static lung function tests (LFT),
- Arterial blood gases in ambient air at rest (AA BG) and/or with oxygen (O<sub>2</sub> BG),
- 6-minute walking test in ambient air (6WT AA) and/or with oxygen (6WT O<sub>2</sub>)

Inclusion criteria

Patient having received verbal information and not objecting to the study  
Age  $\geq$  18 years inclusive  
Patient hospitalised for severe COVID-19 pneumonia requiring O<sub>2</sub>  
Patient having contracted SARS-CoV-2 infection proven by RT-PCR and/or retrospective serology and/or COVID-19 syndrome with chest CT scan consistent with infection (over the period from 1 March 2020 to 30 June 2020)

### Population type

Age

Adulthood (19 to 24 years)  
Adulthood (25 to 44 years)  
Adulthood (45 to 64 years)  
Elderly (65 to 79 years)  
Great age (80 years and more)

Population covered

Sick population

Pathology	J12 - Viral pneumonia, not elsewhere classified
Gender	Male Woman
Geography area	National
<b>Data collection</b>	
<b>Dates</b>	
Date of first collection (YYYY or MM/YYYY)	2020
<b>Size of the database</b>	
Size of the database (number of individuals)	< 500 individuals
<b>Data</b>	
Database activity	Current data collection
Type of data collected	Clinical data Biological data
Clinical data (detail)	Direct physical measures Medical registration
Presence of a biobank	No
<b>Procedures</b>	
Followed pathology	
<b>Promotion and access</b>	
<b>Promotion</b>	
<b>Access</b>	