ABOS (Atlas Biologique de l'Obésité Sévère) - Influence of the Glycemic and Ponderal Status on Tissues Gene Expression (Biological Tissue Collection)

Head :Pattou François, INSERM U859

Last update : 11/17/2014 | Version : 2 | ID : 5682

General	
Identification	
Detailed name	Influence of the Glycemic and Ponderal Status on Tissues Gene Expression (Biological Tissue Collection)
Sign or acronym	ABOS (Atlas Biologique de l'Obésité Sévère)
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	CPP 06/49, DGS 2006/0307
General Aspects	
Medical area	Endocrinology and metabolism
Health determinants	Genetic Nutrition
Keywords	diabetis, bariatric surgery, obesity
Scientific investigator(s) (Contact)	
Name of the director	Pattou
Surname	François
Address	1 Place Verdun
Phone	+ 33 (0)3 20 44 42 73
Email	fpattou@univ-lille2.fr
Unit	INSERM U859
Organization	CHRU
Collaborations	

Participation in projects, networks and consortia	Yes
Details	Programme IT-DiabProgramme IMI-DIRECT
Funding	
Funding status	Mixed
Details	CHRU LilleVaiomerIMI - Innovative Medicines Initiative / DIRECT - Diabetes Research on Patient Stratification
Governance of the database	
Sponsor(s) or organisation(s) responsible	CHRU Lille
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Longitudinal study (except cohorts)
Database recruitment is carried out by an intermediary	A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	Yes
Details	Performed at individual level
Additional information regarding sample selection.	Liver samples before and at 1 and 5 years after bariatric surgeryMuscle samples before and at 1 year after bariatric surgerySubcutaneous fat samples before and at 3 month and 1 year after bariatric surgeryVisceral fat samples in the great omentum before bariatric surgeryIntestinal samples during gastric by-pass surgeryBlood samples baseline and at at 1, 3 months, 1, 2, 5 years after surgery
Database objective	
Main objective	The objective of this trial is to study the influence of

	phenotypic characteristics on gene expression of tissues involved in glucose or/and lipidic metabolism with the creation of a collection of biological samples for research on obesity and diabetes.
Inclusion criteria	 ? Age between 18 and 65 years. ? Indication of abdominal surgery requiring laparotomy or coelioscopy for obesity surgery, a cholecystectomy, or a parietal surgery. ? phenotype corresponding to one of the following four cases 1. BMI greater than or equal to 35 kg/m2 and diabetes defined by glucose greater or equal to 7 mmol/l fasting and/or greater than or equal to 11.1 mmol/l, 120 min after glucose intake (OGTT). 2. BMI greater than or equal to 35 kg/m2 and IGT defined by a higher than 6 mmol/l and less than 7 mmol/l fasting blood glucose, and/or greater than 7.8 mmol/l and less than 11.1 mmol/l, 120 min after glucose intake (OGTT). 3. BMI greater than or equal to 35 kg/m2 and with normal glucose tolerance defined by a blood glucose of less than or equal to 6 mmol/l and/or less than or equal to 7.8 mmol/l, 120 min after glucose intake (OGTT). 4. BMI inferior to 27 kg/m2 and with normal glucose tolerance defined by a blood glucose of less than or equal to 6 mmol/l and/or less than or equal to 7.8 mmol/l, 120 min after glucose intake (OGTT) (control group). 5. BMI between 27 and 35 27 kg/m2 and with normal glucose tolerance defined by a blood glucose less than or equal to 6 mmol/l and/or less than or equal to 7.8 mmol/l, 120 min after glucose intake (OGTT) (control group).
Population type	
Age	Childhood (6 to 13 years) Adolescence (13 to 18 years) Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)
Population covered	General population
Gender	Male Woman
Geography area	National
Detail of the geography area	France

Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	06/2006
Size of the database	
Size of the database (number of individuals)	[500-1000[individuals
Details of the number of individuals	850
Data	
Database activity	Current data collection
Type of data collected	Clinical data Declarative data Biological data
Clinical data (detail)	Direct physical measures Medical registration
Details of collected clinical data	Prospective assessment of clinical features before and after bariatric surgery: weight, BMI, blood pressure
Declarative data (detail)	Paper self-questionnaire Face to face interview Phone interview
Details of collected declarative data	Prospective assessment of clinical features before and after bariatric surgery: weight, BMI, blood pressure
Biological data (detail)	Prospective assessment of biological features before and after bariatric surgery: alanine aminotransferase (ALT), gamma-glutamyl transferase (GGT), prothrombin time, platelets, serum triglyceride, cholesterolemia, fasting blood glucose, fasting insulin, blood glucose and insulin 120 minutes after ingestion of glucose (oral glucose tolerance test)
Presence of a biobank	Yes
Contents of biobank	Whole blood Serum Plasma Blood cells isolated

	Tissues DNA
Details of biobank content	Liver samples before and at 1 and 5 years after bariatric surgeryMuscle samples before and at 1 year after bariatric surgerySubcutaneous fat samples before and at 3 month and 1 year after bariatric surgeryVisceral fat samples in the great omentum before bariatric surgeryIntestinal samples during gastric by-pass surgeryBlood samples baseline and at at 1, 3 months, 1, 2, 5 years after surgery
Health parameters studied	Health event/morbidity Health event/mortality
Procedures	
Data collection method	before and after bariatric surgery
Quality procedure(s) used	monitoring promoteur
Participant monitoring	Yes
Details on monitoring of participants	Prospective assessment of clinical and biological features before and after bariatric surgeryLiver samples before and at 1 and 5 years after bariatric surgeryMuscle samples before and at 1 year after bariatric surgerySubcutaneous fat samples before and at 3 month and 1 year after bariatric surgeryVisceral fat samples in the great omentum before bariatric surgeryIntestinal samples during gastric by-pass surgeryBlood samples baseline and at at 1, 3 months, 1, 2, 5 years after surgery
Links to administrative sources	Yes
Promotion and access	
Promotion	
Link to the document	http://tinyurl.com/Hal-ABOS
Description	Liste des publications dans HAL
Link to the document	http://tinyurl.com/Pubmed-ABOS
Description	Liste des publications dans Pubmed
Access	
Terms of data access (charter for data provision, format of	Contact the investigator

data, availability delay)	
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only