e-TUD - Transversal study on medical management of glaucoma /ocular hypertension

Head:TROY Sylvie, Pfizer

Funding

Last update : 01/01/2019 | Version : 2 | ID : 101

Last update : 01/01/2019 Version : 2 ID : 101		
General		
Identification		
Detailed name	Transversal study on medical management of glaucoma /ocular hypertension	
Sign or acronym	e-TUD	
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	N° CNIL : 1340473	
General Aspects		
Medical area	Ophthalmology	
Health determinants	Social and psychosocial factors	
Others (details)	glaucoma	
Keywords	caring for glaucoma, ocular hypertension	
Scientific investigator(s) (Contact)		
Name of the director	TROY	
Surname	Sylvie	
Address	23-25 Avenue du Dr Lannelongue, 75668 Paris cedex 14	
Phone	+33 (0)1 58 07 34 10	
Email	sylvie.troy@pfizer.com	
Unit	Pfizer	
Collaborations		

Funding status	Private
Details	Pfizer
Governance of the database	
Sponsor(s) or organisation(s) responsible	pfizer
Organisation status	Private
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Recruitment through participating doctors
Database objective	
Main objective	Primary: The main objective of this survey is to describe the diagnostic and therapeutic care for glaucoma and/or ocular hypertensions (defined by an intraocular pressure ?21 mm Hg) examined on the day of the survey. Secondary: The secondary objectives are: - The description of the satisfaction and of the observance perceived by the doctors according to the treatments, - The diagnostic techniques used: visual fields, ocular imaging and gonioscopy, - The risk factors for patients in routine practice, - The exercise mode for ophthalmologists in caring for glaucoma and/or ocular hypertensions Putting the data into relation with the data from the survey conducted in 2003.

Inclusion criteria	All of the patients having glaucoma or an OHT coming to a consultation in ophthalmology on the given day were included in the survey, if they met the following conditions: - at least 18 years of age, - diagnosis of glaucoma, or OHT already established at the time of the consultation were informed about the survey and gave oral agreement for the use of the data concerning them.
Population type	
Age	Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)
Population covered	Sick population
Gender	Male Woman
Geography area	National
Detail of the geography area	Metropolitan France
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	2009
Date of last collection (YYYY or MM/YYYY)	2009
Size of the database	
Size of the database (number of individuals)	[500-1000[individuals
Details of the number of individuals	965
Data	
Database activity	Data collection completed
Type of data collected	Clinical data

Direct physical measures

Clinical data (detail)

Medical r	egistration
-----------	-------------

Presence of a biobank	No
Health parameters studied	Health care consumption and services
Care consumption (detail)	Medical/paramedical consultation
Procedures	
Data collection method	Electronic CRF
Classifications used	Who-Drug
Participant monitoring	No
Links to administrative sources	No
Promotion and access	
Promotion	
Access	
Terms of data access (charter for data provision, format of data, availability delay)	Methods for accessing the database are currently being defined
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only