

# EDITH - Observational study to evaluate educational modality of type 2 diabetic patients at the time of insulin initiation by GPs

Head :Vignal Franck, Sanofi Aventis

Last update : 01/01/2018 | Version : 1 | ID : 84

## General

### Identification

Detailed name	Observational study to evaluate educational modality of type 2 diabetic patients at the time of insulin initiation by GPs
Sign or acronym	EDITH

### General Aspects

Medical area	Endocrinology and metabolism General practice
Others (details)	type-2 diabetes
Keywords	initiation of insulin therapy, insulin

### Scientific investigator(s) (Contact)

Name of the director	Vignal
Surname	Franck
Phone	+33 (0)1 57 63 26 47
Email	franck.vignal@sanofi-aventis.com
Unit	Sanofi Aventis

### Collaborations

#### Funding

Funding status	Private
Details	Sanofi-aventis

### Governance of the database

Sponsor(s) or organisation(s) responsible	Sanofi-aventis France
---	-----------------------

Organisation status	Private
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A selection of health care professionals
Database recruitment is made on the basis of:	Medication(s) taken
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	participating general practitioners systematically included the last two consecutive patients that they had put on insulin since less than 6 months and more than 1 month, who met the inclusion criteria and accepted to participate in the study.
Database objective	
Main objective	describe the effects on the fasting glucose at 1 month for main methods of education of type-2 diabetes patients during the initiation of insulin therapy in general practice
Inclusion criteria	man or woman, over the age of 18 years, having a type-2 diabetes responding to the criteria of HAS (French National Authority for Health), treated with oral diabetes medication at the maximum dose (or maximum tolerated dose where applicable), having needed the adding of a basal insulin initiated since at least 1 month and no more than 6 months (+ 1 week) before inclusion, reviewed 1 month after the initiation of insulin, during a routine visit in the framework of following his or her diabetes, accepting to participate in the study after information given by the observing doctor.
Population type	
Age	Adulthood (19 to 24 years)

Adulthood (25 to 44 years)  
Adulthood (45 to 64 years)  
Elderly (65 to 79 years)

Population covered Sick population

Gender Male  
Woman

Geography area National

Detail of the geography area France

## Data collection

### Dates

Date of first collection (YYYY or MM/YYYY) 2008

Date of last collection (YYYY or MM/YYYY) 2008

### Size of the database

Size of the database (number of individuals) [1000-10 000[ individuals

Details of the number of individuals 1559

### Data

Database activity Data collection completed

Type of data collected Clinical data  
Biological data

Clinical data (detail) Direct physical measures

Biological data (detail) Fasting Blood Glucose

Presence of a biobank No

Health parameters studied Health event/morbidity

### Procedures

Data collection method type-2 diabetes, initiation of insulin therapy, general practice

Participant monitoring No

Links to administrative sources	No
---------------------------------	----

## Promotion and access

### Promotion

### Access

Terms of data access (charter for data provision, format of data, availability delay)	Poster SFD 2010 methods for accessing the database are currently being defined
---	---

Access to aggregated data	Access on specific project only
---------------------------	---------------------------------

Access to individual data	Access on specific project only
---------------------------	---------------------------------