Réponse - TREATMENT RESPOnse to antidepressants in MAJOR DEPRESSIVE DISORDER ACCORDING TO THE NUMBER OF PREVIOUS EPISODES IN A GENERAL PRACTICE SETTING, IN FRANCE

Head :Crochard Anne

Last update : 04/16/2012 | Version : 1 | ID : 181

General	
Identification	
Detailed name	TREATMENT RESPONSE TO ANTIDEPRESSANTS IN MAJOR DEPRESSIVE DISORDER ACCORDING TO THE NUMBER OF PREVIOUS EPISODES IN A GENERAL PRACTICE SETTING, IN FRANCE
Sign or acronym	RéPONSe
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	CNIL n°909515
General Aspects	
Medical area	General practice Psychology and psychiatry
Others (details)	depression, major depressive episode (MDE)
Keywords	response, treatment, antidepressant
Scientific investigator(s) (Contact)	
Name of the director	Crochard
Surname	Anne
Phone	+33 (0)1 79 41 28 51
Email	acro@lundbeck.com
Organization	Lundbeck
Collaborations	
Funding	

Funding status	Private
Details	Laboratory LUNDBECK SAS
Governance of the database	
Sponsor(s) or organisation(s) responsible	Lundbeck SAS
Organisation status	Private
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Longitudinal study (except cohorts)
Database recruitment is carried out by an intermediary	A selection of health care professionals
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	A sample of general practionners was randomly selected from a qualified sampling frame of primary care physicians (CEGEDIM national file): sending of a mailing for a call for participating on a voluntary basis.
	Selection of patients: the first 4 patients consulting the general practitioner and meeting inclusion criteria were included in the cohort.
Database objective	
Main objective	Comparison response to treatment by antidepressants at 3 months in patients suffering from a major depressive episode (MDE) according to the number of prior episodes of EDM in general practice
Inclusion criteria	 * Patient aged 18 years or older, * Patient suffering from a MDE (DSM IV criterion), * Patient for whom the physician initiates an antidepressant treatment

Population type

Age	Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)
Population covered	Sick population
Gender	Male Woman
Geography area	National
Detail of the geography area	Metropolitan France
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	2010
Date of last collection (YYYY or MM/YYYY)	2011
Size of the database	
Size of the database (number of individuals)	[1000-10 000[individuals
Details of the number of individuals	10334
Data	
Database activity	Data collection completed
Type of data collected	Clinical data Declarative data
Clinical data (detail)	Direct physical measures
Declarative data (detail)	Paper self-questionnaire
Presence of a biobank	No
Health parameters studied	Health event/morbidity Quality of life/health perception
Procedures	
Data collection method	The physician collects the clinical information and

	gives the self-questionnaire to the patient at the time of the visit.
Participant monitoring	Yes
Details on monitoring of participants	3 months
Links to administrative sources	No
Promotion and access	
Promotion	
Promotion Access	
	Publication in progress
Access Terms of data access (charter for data provision, format of	Publication in progress Access on specific project only