

PRESAGE - Observationnal study on Postmenopausal woman

Head :Hébuterne Xavier, Eli Lilly France

Last update : 01/01/2018 | Version : 1 | ID : 68

General

Identification

Detailed name Observationnal study on Postmenopausal woman

Sign or acronym PRESAGE

CNIL registration number,
number and date of CPP
agreement, AFSSAPS (French
Health Products Safety Agency)
authorisation CNIL N°907026

General Aspects

Medical area Rheumatology

Others (details) osteoporosis

Keywords Postmenopausal women, mineral bone density,
osteoporosis

Scientific investigator(s) (Contact)

Name of the director Hébuterne

Surname Xavier

Email PHARMACOEPI_FRMAIL@LILLY.COM

Unit Eli Lilly France

Collaborations

Funding

Funding status Private

Details Eli Lilly and Company

Governance of the database

Sponsor(s) or organisation(s)
responsible Eli Lilly

Organisation status	Private
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A selection of health care professionals A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Recruitment of patients in private-practicing or hospital BMD centers directed by rheumatologists in the normal practice of care.
Database objective	
Main objective	Primary objective: estimate the percentage of osteoporotic patients among postmenopausal patients with a mineral bone density measurement for diagnosis purposes and who can benefit from therapeutic recommendations according to French recommendations. Secondary objectives: factors associated with osteoporosis, characteristics and care for patients
Inclusion criteria	Postmenopausal woman, - Patient not treated for osteoporosis for at least one year (HRT, raloxifene, bisphosphonate, teriparatide, strontium ranelate), - Patient coming for a bone densitometry for diagnosis purposes, - Patient able to benefit from a therapeutic recommendation for the treatment of osteoporosis (osteopenic or osteoporotic patient with risk factors of fractures).
Population type	
Age	Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)

Population covered	Sick population
Gender	Woman
Geography area	National
Detail of the geography area	National
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	2007
Date of last collection (YYYY or MM/YYYY)	2008
Size of the database	
Size of the database (number of individuals)	[500-1000[individuals
Details of the number of individuals	646
Data	
Database activity	Data collection completed
Type of data collected	Clinical data Paraclinical data
Clinical data (detail)	Direct physical measures Medical registration
Paraclinical data (detail)	Bone densitometry
Presence of a biobank	No
Health parameters studied	Health event/morbidity
Procedures	
Data collection method	Data collection notebook
Participant monitoring	No
Links to administrative sources	No
Promotion and access	

Promotion

Access

Terms of data access (charter for data provision, format of data, availability delay)

Report, poster and publication

Access to aggregated data

Access on specific project only

Access to individual data

Access on specific project only