

EPIDEP - Longitudinal French Study on Patients with Major Depressive Episodes

Head :Hantouche Elie, Centre de l'Humeur, département de psychiatrie adulte, hôpital Pitié-Salpêtrière
Azorin Jean-Michel

Last update : 05/12/2015 | Version : 5 | ID : 21156

General	
Identification	
Detailed name	Longitudinal French Study on Patients with Major Depressive Episodes
Sign or acronym	EPIDEP
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	CNIL
General Aspects	
Medical area	Disability/handicap Psychology and psychiatry
Health determinants	Social and psychosocial factors
Keywords	history, mental health, mood
Scientific investigator(s) (Contact)	
Name of the director	Hantouche
Surname	Elie
Address	47, Bd de l'Hôpital, 75013, Paris
Email	elie.hantouche@wanadoo.fr
Unit	Centre de l'Humeur, département de psychiatrie adulte, hôpital Pitié-Salpêtrière
Organization	Centre des Troubles Anxieux et de l'Humeur
Name of the director	Azorin
Surname	Jean-Michel

Phone	+33 (0)4 91 74 48 15
Email	Jean-michelRoch.AZORIN@ap-hm.fr
Organization	AP-HM Hôpitaux Sud
Collaborations	
Funding	
Funding status	Private
Details	Sanofi Aventis
Governance of the database	
Sponsor(s) or organisation(s) responsible	Centre des Troubles Anxieux et de l'Humeur - CTAH
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Longitudinal study (except cohorts)
Database recruitment is carried out by an intermediary	A selection of health care professionals A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Sample of 48 psychiatric researchers, from private, public or university practices, across 15 French centres. The clinical examination protocol scheduled two main visits: one for selecting major depressive episodes (MDE) and the other for soft bipolarity research.
Database objective	
Main objective	To help psychiatrists recognise the full bipolar spectrum.
Inclusion criteria	- Male and female; - Adults;

- Patient with a major depressive disorder.

Population type

Age
Adulthood (19 to 24 years)
Adulthood (25 to 44 years)
Adulthood (45 to 64 years)

Population covered
Sick population

Gender
Male
Woman

Geography area
National

Detail of the geography area
Metropolitan France (15 centres).

Data collection

Dates

Date of first collection (YYYY or MM/YYYY)
1994

Size of the database

Size of the database (number of individuals)
[500-1000[individuals

Details of the number of individuals
537

Data

Database activity
Data collection completed

Type of data collected
Clinical data
Declarative data

Clinical data (detail)
Direct physical measures

Details of collected clinical data
Psychometric assessment using the Hamilton Depression Scale (+8 Rosenthal items), Angst's hypomania checklist and Ahearn-Carroll Bipolarity VAS.

Declarative data (detail)
Paper self-questionnaire

Details of collected declarative data
Questionnaire on affective temperaments based on Akiskal-Mallya criteria.

Presence of a biobank
No

Health parameters studied	Health event/morbidity Health event/mortality
Procedures	
Participant monitoring	Yes
Details on monitoring of participants	Historical data on the disorder, comorbidity and family history were systematically collected during the study.
Links to administrative sources	No
Promotion and access	
Promotion	
Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/?term=epidep+AND+%28Hantouche[author]+OR+Azorin[author]%29
Description	List of publications in Pubmed
Access	
Terms of data access (charter for data provision, format of data, availability delay)	Contact the scientist in charge.
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only