SCOPE - Patients with Schizophrenic or Schizoaffective Disorders

Head :Azorin Jean-Michel, SHU Psychiatrie adultes

Last update : 09/05/2017 | Version : 1 | ID : 73188

General	
Identification	
Detailed name	Patients with Schizophrenic or Schizoaffective Disorders
Sign or acronym	SCOPE
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	Accord CNIL
General Aspects	
Medical area	Neurology
Health determinants	Lifestyle and behavior Social and psychosocial factors Others (specify)
Keywords	Schizophrenia, schizoaffective
Scientific investigator(s) (Contact)	
Name of the director	Azorin
Surname	Jean-Michel
Address	270, boulevard de Sainte-Marguerite 13274 Marseille
Phone	+33 (0)4 91 74 40 82
Email	jazorin@ap.hm.fr
Unit	SHU Psychiatrie adultes
Organization	CHU St Marguerite
Collaborations	

Funding statusPublicDetailsCHU MarseilleGovernance of the databaseCHU St Marguerite MarseilleSponsor(s) or organisation(s)PublicOrganisation statusPublicAdditional contact	Funding status	
Governance of the databaseSponsor(s) or organisation(s) responsibleCHU St Marguerite Marseille PublicOrganisation statusPublicAdditional contactImage: Contact Contac		Public
Sponsor(s) or organisation(s)CHU St Marguerite MarseilleSponsiblePublicOrganisation statusPublicAdditional contactMain featuresType of databaseStudy databasesStudy databases (details)Longitudinal study (except cohorts)Database recruitment is carried out by an intermediaryNoDatabase recruitment is carried otud spart of an intermediaryNoDatabase objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Main objective- Men or women - adult - adult - schizoaffective disorderPopulation type- Men or dumen - adult - adult - adult - adult - adult - dulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Details	CHU Marseille
responsible	Governance of the database	
Additional contactMain featuresType of databaseType of databaseStudy databasesStudy databases (details)Database recruitment is carried out by an intermediaryDatabase recruitment is carried out sp art of an interventional studyDatabase objectiveMain objectiveMain objectiveMain objectivePopulation criteria AgeAgeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population covered		CHU St Marguerite Marseille
Main featuresType of databaseType of databaseStudy databases (details)Study databases (details)Longitudinal study (except cohorts)Database recruitment is carried out by an intermediaryNoDatabase recruitment is carried out as part of an interventional studyMain objectiveMain objectiveMain objectivePopulation criteriaAgeAgeAdulthood (19 to 24 years) Adulthood (45 to 64 years) Adulthood (45 to 64 years)Population coveredSick population	Organisation status	Public
Type of databaseType of databaseStudy databasesStudy databases (details)Longitudinal study (except cohorts)Database recruitment is carried out as part of an interventional studyA selection of health institutions and servicesDatabase recruitment is carried out as part of an interventionalNoDatabase objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Main objective- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation trypeAge Adulthood (19 to 24 years) Adulthood (45 to 64 years) Adulthood (45 to 64 years)Population coveredSick population	Additional contact	
Type of databaseStudy databasesStudy databases (details)Longitudinal study (except cohorts)Database recruitment is carried out by an intermediaryA selection of health institutions and servicesDatabase recruitment is carried out as part of an interventional studyNoDatabase objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Main objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Inclusion criteria. Men or women - adult - diagnesed with schizophrenia or affected by schizoaffective disorderAgeAdulthood (19 to 24 years) Adulthood (45 to 64 years) Adulthood (45 to 64 years)Population coveredSick population	Main features	
Study databases (details)Longitudinal study (except cohorts)Database recruitment is carried out by an intermediaryA selection of health institutions and servicesDatabase recruitment is carried out as part of an interventional studyNoDatabase objectiveNoMain objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Main objective- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation typeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Type of database	
A selection of health institutions and services out by an intermediaryDatabase recruitment is carried out as part of an interventional studyNoDatabase objectiveMain objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Inclusion criteria- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderAgeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Type of database	Study databases
out by an intermediaryDatabase recruitment is carried out as part of an interventional studyNoDatabase objectiveDatabase objectiveMain objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Inclusion criteria- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation typeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Study databases (details)	Longitudinal study (except cohorts)
out as part of an interventional studyDatabase objectiveMain objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Inclusion criteria- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation typeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population		A selection of health institutions and services
Main objectiveTo observe the progress of patients being treated for an acute psychotic episode over a 2-year period.Inclusion criteria- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation type- Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	out as part of an interventional	No
for an acute psychotic episode over a 2-year period.Inclusion criteria- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation type- Men or women - adult - diagnosed with schizophrenia or affected by schizoaffective disorderAgeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Database objective	
- adult - diagnosed with schizophrenia or affected by schizoaffective disorderPopulation typeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Main objective	for an acute psychotic episode over a 2-year
AgeAdulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Inclusion criteria	 adult diagnosed with schizophrenia or affected by
Adulthood (25 to 44 years) Adulthood (45 to 64 years)Population coveredSick population	Population type	
		Adulthood (19 to 24 years)
	Age	
Gender Male Woman	-	Adulthood (45 to 64 years)

Geography area	National
Detail of the geography area	France
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	04/2001
Date of last collection (YYYY or MM/YYYY)	03/2004
Size of the database	
Size of the database (number of individuals)	[500-1000[individuals
Details of the number of individuals	833
Data	
Database activity	Data collection completed
Type of data collected	Clinical data
Clinical data (detail)	Medical registration
Presence of a biobank	No
Health parameters studied	Health event/morbidity Health care consumption and services
Care consumption (detail)	Hospitalization Medical/paramedical consultation Medicines consumption
Procedures	
Data collection method	Data gathered at 6, 12 and 24 months after enrolment and each potential relapse.
Participant monitoring	Yes
Details on monitoring of participants	Follow-up over 2 years
Links to administrative sources	No
Promotion and access	

Promotion	
Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/23769326
Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/23279992
Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/15738852
Access	
Terms of data access (charter for data provision, format of data, availability delay)	Contact the scientist in charge.
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only