- Case-Control Study on the Relation Between Systemic Sclerosis and Occupational Exposure

Head: Marie Isabelle, INSERM U 905

Funding status

Last update : 01/01/2018 Version : 1 ID :	73181
General	
Identification	
Detailed name	Case-Control Study on the Relation Between Systemic Sclerosis and Occupational Exposure
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	Approval: CPP Upper Normandy
General Aspects	
Medical area	Immunology
Pathology (details)	Systemic sclerosis
Health determinants	Lifestyle and behavior Occupation Pollution
Keywords	crystalline silica, keytones, occupational exposure, solvents, scleroderma, smoking, tobacco
Scientific investigator(s) (Contact)	
Name of the director	Marie
Surname	Isabelle
Email	isabelle.marie@chu-rouen.fr
Unit	INSERM U 905
Organization	Rouen University Hospital
Collaborations	
Funding	

Mixed

Details	Ministry of Health, Rouen University Hospital, Pfizer Pharmaceutical Laboratory
Governance of the database	
Sponsor(s) or organisation(s) responsible	Rouen University Hospital
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Case control study
Database recruitment is carried out by an intermediary	A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Matching case-control by gender, age and smoking habits.
sample selection.	
sample selection. Database objective	The aim of the study is to investigate the relation between systemic sclerosis and occupational exposure, and to define the risk of systemic sclerosis in male and female patients that is linked to
Sample selection. Database objective Main objective	The aim of the study is to investigate the relation between systemic sclerosis and occupational exposure, and to define the risk of systemic sclerosis in male and female patients that is linked to occupational exposure. Patients with systemic sclerosis (declared) consulting at one of 3 participating centres (Departments of Internal Medicine, Dermatology and Pneumology in Rouen, Elbeuf and Le Havre) between 2005 and 2008. Controls: Subjects with a chronic illness or an acute illness who do not have: a connective tissue disorder; systemic vasculitis and other systemic autoimmune disorders; neoplasia and chronic

Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more)

Sick population
Male Woman
Regional
Normandie
Upper Normandy
2005
2008
< 500 individuals
100 cases/300 controls
Data collection completed
Declarative data
Face to face interview
1) Socioeconomic characteristics; 2) smoking habits; 3) prior use of drugs already implicated in the development of scleroderma e.g. anorexigens, pentazocine, bromocriptine, taxanes and L-tryptophan; 4) history of: prosthesis (e.g. hip, knee); contact lenses, cosmetic surgery (parrafin, processed petroleum jelly, silicone implants) and hair dye, as well as 5) occupational history. Exposure to crystalline silica, white spirits, solvents (chlorinated solvents, trichlorethylene, toluene,

	xylenes, ketones aromatic solvents, all types), welding fumes, epoxy resins; pesticides and vinyl chloride.
Presence of a biobank	No
Health parameters studied	Health event/morbidity
Procedures	
Data collection method	Data is collected by an investigator and for expert committee submissions.
Participant monitoring	No
Links to administrative sources	No
Promotion and access	
Promotion and access Promotion	
	http://www.ncbi.nlm.nih.gov/pubmed/24129037
Promotion	http://www.ncbi.nlm.nih.gov/pubmed/24129037
Promotion Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/24129037 Contact the scientist in charge.
Promotion Link to the document Access Terms of data access (charter for data provision, format of	