RIM-P - Medical Information Collection System for Psychiatry

Head :Bourgouin Francoise, Santé

Sponsor(s) or organisation(s)

| Last update : 07/05/2016 Version : 1 ID : 1129 | | |
|--|---|--|
| General | | |
| Identification | | |
| Detailed name | Medical Information Collection System for Psychiatry | |
| Sign or acronym | RIM-P | |
| General Aspects | | |
| Medical area | Disability/handicap Psychology and psychiatry | |
| Health determinants | Addictions Lifestyle and behavior Social and psychosocial factors | |
| Keywords | health economics, mental health, psychiatry | |
| Scientific investigator(s) (Contact) | | |
| Name of the director | Bourgouin | |
| Surname | Francoise | |
| Phone | +33 (0)4 37 91 33 10 | |
| Email | francoise.bourgoin@atih.sante.fr | |
| Unit | Santé | |
| Organization | ATIH (Technical Agency for Hospital Information) | |
| Collaborations | | |
| Funding | | |
| Funding status | Public | |
| Details | State funding | |
| Governance of the database | | |

ATIH (Technical Agency for Hospital Information)

| responsible | |
|---|--|
| Organisation status | Public |
| Presence of scientific or steering committees | Yes |
| Additional contact | |
| Main features | |
| Type of database | |
| Type of database | Health relevant administrative databases |
| Database objective | |
| Main objective | The RIM-P is an medical-administrative tool for hospital activity. The main aim is to allow the better distribution of budget packages according to the healthcare costs of the illnesses treated within each establishment. Through its contents, studies may be carried out on hospital morbidity (diagnoses, treatment methods); treatment analysis, as well as interregional and regional fluctuations between hospital admissions. Finally, the tool significantly helps the decision-making process with regards to planning for healthcare establishments and throughout regions. |
| Inclusion criteria | Ongoing collection of activity in healthcare establishments authorised to practice psychiatric care. |
| Population type | |
| Age | Newborns (birth to 28 days) Infant (28 days to 2 years) Early childhood (2 to 5 years) Childhood (6 to 13 years) Adolescence (13 to 18 years) Adulthood (19 to 24 years) Adulthood (25 to 44 years) Adulthood (45 to 64 years) Elderly (65 to 79 years) Great age (80 years and more) |
| Population covered | Sick population |
| Gender | Male Woman |
| | |

| Geography area | National |
|--|---|
| Detail of the geography area | France |
| Data collection | |
| Dates | |
| Date of first collection (YYYY or MM/YYYY) | 2006 |
| Size of the database | |
| Size of the database (number of individuals) | Greater than 20 000 individuals |
| Details of the number of individuals | Ongoing collection of healthcare activity in establishments authorised to practice psychiatric care. |
| Data | |
| Database activity | Data collection completed |
| Type of data collected | Clinical data Administrative data |
| Clinical data (detail) | Direct physical measures Medical registration |
| Administrative data (detail) | Demographic data (age, sex, home post code); treatment location (establishment code, type of inpatient or outpatient care, duration). |
| Presence of a biobank | No |
| Health parameters studied | Health event/morbidity Health event/mortality Health care consumption and services |
| Care consumption (detail) | Hospitalization Medical/paramedical consultation |
| Procedures | |
| Data collection method | Batch summaries (RPS) for full-time and part-time treatment, and outpatient activity summaries (RAA) describing the establishment activity are submitted on a quarterly basis to the Technical Agency for Hospital Information (ATIH). These summaries include the following information: Patient age and sex? home post code? legal basis for care: voluntary or without consent;? activity: day- or |

| | night-time inpatient care; medical and psychological centre (CMP); outpatient treatment centre (CATTP), etc. ? diagnosis or grounds for principal and associated treatment (under ICD-10 coding). Specifically, for inpatient and outpatient care: ? length of stay (and session); ? admission and discharge method for stay (up to 2011); ? number of days in therapeutic isolation; ? Daily living activity dependence. Specifically for ambulatory services: ? Location of service; ? occupational category of stakeholders (MIPARESXY) ? type of service (EDGAR classification). |
|---|--|
| Classifications used | ICD 10, MIPARESXY, EDGAR classification, Daily Living Activities (DLA) Scale |
| Participant monitoring | No |
| Links to administrative sources | Yes |
| Linked administrative sources (detail) | SNIIRAM pending |
| Promotion and access | |
| Promotion | |
| | |
| Link to the document | http://www.atih.sante.fr/index.php?id |
| Link to the document Access | http://www.atih.sante.fr/index.php?id |
| | http://www.atih.sante.fr/index.php?id The ATIH website provides aggregated results with multiple selection criteria. PMSI databases (national, regional or specific data extraction) may be obtained by written request. This platform requires prior CNIL approval. |
| Access Terms of data access (charter for data provision, format of | The ATIH website provides aggregated results with multiple selection criteria. PMSI databases (national, regional or specific data extraction) may be obtained by written request. This platform requires |